

**GOVERNMENT T OF ARUNACHAL PRADESH  
OFFICE OF THE DIRECTOR GENERAL OF POLICE  
ITANAGAR**

NO.PHQ(PROV)55/2017-18

Dated Itanagar, the 1<sup>st</sup> June'2018.

**CORRIGENDUM**

Ref. this office Tender Notice No. PHQ (PROV) 55/2017-18 Dated 27/04/2018.

To make broader specification of the Advance Video Spectral Comparator required for QUESTIONED DOCUMENT DIVISION of RFSL, Itanagar (A.P). The following correction/ modification in tender specifications have been made to make the bid more competitive:-

Tender Sl.	Tender Specification	Corrected/ Modified Specification
1(a) (i)	Standard field of view from 1.7x 1.4 mm to 209 x 167 mm. which is equivalent to a magnification of up to 175X ( ± 6%) on a (min) 32" UHD Monitor	Standard field of view from 1.7x 1.4 mm to 209 x 167 mm ( ± 10%) which is equivalent to a magnification of up to 175X ( ± 6%) on a (min) 32" UHD Monitor
1(a) (iii)	Super Resolution Imaging (SRI) from 19Mpixel to 60 Mpixel up to A4/ Letter Size.	Super Resolution Imaging (SRI)

Sd/-  
Director General of Police  
Arunachal Pradesh,  
Itanagar

(Not to be Published)

Memo NO.PHQ(PROV)55/2017-18

Dated Itanagar, the 1<sup>st</sup> June'2018.

Copy to :-

1. The Director of Information and Public Relations Govt. of Arunachal Pradesh, Naharlagun for information and wide Circulation. He is also requested to pass necessary order for publication of the above Corrigendum Notice in one leading News papers of Arunachal Pradesh published from Itanagar namely Arunachal Times and one news paper of National Daily namely "Times of India". .
2. I/C Computer Cell, PHQ for information and necessary action :- The Corrigendum Notice may be uploaded on the web site of APP.
3. Notice Board.
4. Office copy.

  
Dy. Inspector General of Police (Esstt.)  
PHQ, Itanagar, Arunachal Pradesh.